RESEARCH



Clinical value of noninvasive lens advanced glycation end product detection in early screening and severity evaluation of patients with diabetic kidney disease

Xiaodi Zheng^{1,2†}, Yuan Gao^{3†}, Yuhong Huang^{1,2}, Ruihua Dong⁴, Mengxue Yang^{1,2*}, Xuemeng Zhang^{2,3}, Miao Zeng⁵, Rui Zhang^{1,2}, Yueyue Wu^{1,2}, Zhiyan Yu^{1,2}, Jun Liu^{1,2} and Bingbing Zha^{1,2}

Abstract

Background Advanced glycation end products (AGEs) deposited in the lens are correlated with those in the kidneys, indicating a possible value in evaluating diabetic kidney disease (DKD). This study explored the value of noninvasively measuring lens AGEs to diagnose and evaluate the severity of diabetic nephropathy in patients with type 2 diabetes mellitus (T2DM).

Methodology A total of 134 T2DM patients admitted to the Fifth People's Hospital of Shanghai from March 2020 to May 2021 were selected randomly. Patients were divided into low-, medium-and high-risk groups according to the risk assessment criteria for DKD progression and into DKD and non-DKD (non-DKD) groups according to the Guidelines for the Prevention and Treatment of Diabetic Nephropathy in China. The concentrations of noninvasive AGEs in the lens in all the groups were retrospectively analyzed.

Results The concentration of noninvasive lens AGEs in the high-risk patients, according to the 2012 guidelines of the Global Organization for Improving the Prognosis of Kidney Diseases, was significantly higher than that in the remaining groups. Regression analysis suggested the value of lens AGEs in diagnosing DKD and evaluating DKD severity. Cox regression analysis indicated that the noninvasive lens AGE concentration was positive correlated with the course of disease.

Conclusion The receiver operating characteristic (ROC) curve suggested that using noninvasive lens AGE measurements has clinical value in the diagnosis of DKD (area under the curve 62.4%,95% confidence interval (Cl) 52.4%–73.9%, p = 0.014) and in assessing the severity of DKD (area under the curve 83.2%, 95% Cl 74.1%–92.3%, P < 0.001). Noninvasive lens AGE testing helps screen T2DM patients for DKD and evaluate the severity of DKD.

Keywords Advanced glycation end products, Type 2 diabetes, Ratio of microalbuminuria to creatinine, Glomerular filtration rate

[†]Xiaodi Zheng and Yuan Gao these authors are co-first authors.

*Correspondence: Mengxue Yang yangmengx123@163.com Full list of author information is available at the end of the article



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, wisit http://creativecommons.gr/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.gr/licenses/by/4.0/. The CreativeCommons Public Domain Dedication waiver (http://creativecommons.gr/licenses/by/4.0/. The CreativeCommons the publicenses otherwise stated in a credit line to the data.

Introduction

Diabetic kidney disease (DKD) is one of the complications of diabetes and an important cause of end-stage renal disease. Approximately 31.3% of new end-stage renal disease cases in 2015 originated from DKD [1]. The incidence of chronic kidney diseases related to diabetes has increased steadily in recent years [2]. In China, over 141 million adults have diabetes mellitus (DM) [3], and in 2019, there were 4,613 cases of chronic kidney disease (CKD) related to DM per 100,000 people [4]. With the prolongation of the disease, the total number of CKD patients will continue to increase. Thus, it is particularly important to identify high-risk patients with DKD and intervene as soon as possible.

China's Guidelines for the Prevention and Treatment of Diabetic Nephropathy (2021 edition) [5] propose that the ratio of urinary albumin to creatinine (UACR) or 24-h urinary albumin excretion rate (UAER), estimated glomerular filtration rate (eGFR) and renal biopsy can be used for the diagnosis of DKD. However, to obtain the above data, invasive operations are needed, and kidney biopsy is especially invasive. Kidney biopsy can lead to kidney hematoma (11%) and gross hematuria (3.5%), and in severe cases, blood transfusion (1.6%) or even hemostasis (0.3%) [6]. Therefore, safer, more convenient and noninvasive indicators for early screening of DKD and risk classification are needed to help clinicians formulate personalized treatment plans and reasonably allocate limited medical resources. The exploration of early screening methods and models for DKD continues. In this field, eGFR and UACR are early laboratory markers that can be used for early screening of DKD [7]. However, clinically, DKD is susceptible to interference by human immunodeficiency virus infection, chronic liver diseases, cardiovascular diseases and other diseases, and it is difficult to measure it accurately [8]. In recent years, some scholars have found that laboratory markers, such as exosomes, can be used for early screening of DKD [9]. Renal function can also be evaluated by medical instruments, such as renal ultrasound and renal CT [10, 11]. However, these methods are only worthwhile after changes in kidney structure or function. Therefore, these are rarely used for the early screening of DKD clinically. Other studies have suggested that incorporating age, sex, smoking history, systolic blood pressure, and course of diabetes into the DKD screening model has good clinical application value [12]. The shortcoming of these indices, such as systolic blood pressure, is that they differ between day and night, and they are also easily perturbed by one's own emotions, medication and other external environmental factors [13].

Advanced glycosylation end products (AGEs) were reported by French chemist Maillard early in the last century. They are a general term for stable end products formed by a series of reactions between the free amino groups of proteins, amino acids and other substances and the carbonyl group of reducing sugars. They are autofluorescent, highly stable, and not easily decomposed in the human body. AGEs are deposited in the kidney [14], the lens of the eye [15, 16] and other tissues and organs, where they damage their normal physiological functions. AGEs make up for the above disadvantages with their stability. AGEs have been considered one of the factors leading to renal fibrosis. However, they can also induce the production of a variety of cell growth factors and oxidative stress and promote the release of reactive oxygen species and inflammatory mediators [17, 18]. Scholars have adopted noninvasive skin AGE detection technology for diabetes screening. However, skin AGE detection technology is easily affected by skin care products, and this effect is not easily prevented by washing hands or wiping with ethanol [19]. In an experiment targeting 100 subjects, Wang et al. tested the normal population and the population with diabetes using lens AGE detection technology and showed a significant difference between the fluorescence deviations of the populations with and without diabetes. This finding supports the feasibility of lens autofluorescence screening in subjects with undiagnosed diabetes [20]. In our previous studies, animal experiments have shown [21] that the deposition of AGEs in the kidney and their deposition in the lens were positively correlated. Therefore, we intended to indirectly measure the levels of AGEs deposited in the kidney by measuring AGEs in the lens by a noninvasive detection method in the search for a noninvasive screening technology or index for DKD. Many scholars have measured AGEs before, but the use of noninvasive testing of AGEs to assess the severity of DKD has not been reported [22]. According to Prasad K's study, AGEs are involved in the pathogenesis of CKD and may serve as risk factors for CKD [23].

The purpose of this study was to explore the clinical application value of noninvasive lens AGE measurement to screen for DKD and assess the severity of DKD. The findings of this study will help to explore the pathogenic mechanisms of CKD.

Data and methods

General information

A total of 212 patients who were definitively diagnosed with DM in the Fifth People's Hospital of Shanghai Affiliated to Fudan University from March 2020 to May 2021 were screened randomly. All DM patients were diagnosed and treated according to guidelines [5].

Exclusion criteria: 1) less than 20 years old or more than 70 years old; 2) type 1 diabetes, gestational diabetes,

or special diabetes; e) previous intraocular lens transplantation in the left eye or cataract of Grade 3 or more; 4) corneal fluorescence staining within the last 30 days; 5) fluorography within the last six months; 6) photodynamic therapy in the past year; 7) ocular surface (dry eye) diseases, pinkeye, keratitis, or retinal phototoxicity injury mainly caused by macula, etc. A total of 123 patients with type 2 DM (T2DM) were enrolled in the study, including 69 males and 54 females, with an average age of 62 (52– 65) years, ranging from 20 to 70 years. The flow diagram of this study is shown in Fig. 1. All procedures involving human participants in this study were performed in accordance with the 1964 Declaration of Helsinki and its subsequent amendments and approved by the Ethics Committee of the Fifth People's Hospital of Shanghai Affiliated to Fudan University (approval no. 2021–142). Written informed consent was obtained from each participant.



Data collection

Medical history collection

A unified epidemiological questionnaire was adopted and investigated. The following general conditions of the patient were recorded: name, sex, age, hospitalization or outpatient ID number, date of diagnosis, current medical history, past medical history, personal history, and family history.

Measurement of anthropometric parameters

Height, weight and blood pressure were measured, and body mass index (BMI) was calculated as weight/height squared (kg/m^2) . When being weighed, the patient was wearing only underwear. The weighing scale was corrected to 0.1 kg, and the height measurement was accurate to 0.1 cm. Prior to blood pressure measurement, patientswere not allowed to smoke or drink coffee within half an hour and they were asked to rest in a chair with a backrest for at least 15 min in a quiet environment. For each patient, measurement was performed on the right upper arm thrice, with the patient in a supine or sitting position, and an average was obtained.

Detection of biochemical indices

A Sysmex XN-9000 Automatic Hematology Analyzer was used to run routine blood tests [white blood cells (WBCs), neutrophils, monocytes, lymphocytes and platelets (PLTs)]. Serum cystatin C, serum creatinine (Scr), urinary microalbumin, C-peptide 2 h after meal, fasting C-peptide and urinary creatinine levels were measured.25-Hydroxyvitamin D(25(OH)D) was detected by a Roche Cobase 601 fully automatic electrochemiluminescence immunoassay analyzer.

eGFR calculation [24]

eGFR(modification of diet in renal disease) = $186 \times (Scr)^{-1.154} \times (age)^{-0.203} \times 0.742$ (if female) × 1.233 (if Chinese).

AGEscan fluorescence detection

AGE scan fluorescence detection was performed by qualified medical staff after standardized training. A noninvasive lens AGE scan fluorescence detector (model: AGE scan) (provided by Sannuo Biosensor Co., Ltd. Changsha, Hunan province, China) was used. The AGEscan emits a beam of blue light, which is safe for human body, to irradiate the lens of the left eye. AGEs in the lens are thus excited to produce fluorescence, which can then be detected by the instrument. Finally, a specific value will be assigned according to the detected intensity of fluorescence, which is positively correlated with the level of AGE accumulation.

Grouping

DKD progression

According to the 2012 guidelines of the Global Organization for Improving the Prognosis of Kidney Diseases (KDIGO) [25] and the Guidelines for the Prevention and Treatment of Diabetic Nephropathy in China (2021 edition) [5], patients with DKD were stratified according to their CKD progression risk and their frequency of visits for GFR and UACR. According to the "Prognosis of CKD by GFR and Albuminuria Categories: KDIGO 2012" [25], all patients were divided into four groups (green, yellow, orange and red). The green group was a low-risk group (Group 1), the yellow group was a medium-risk group (Group 2) and the orange group was a high-risk group (Group 3). In this study, no patient meeting the criteria of extremely high risk was enrolled, so the red group was absent.

DKD

All patients were divided into a diabetic nephropathy group (DKD, UACR \geq 30 mg/g and/or EGFR < 60 ml/min * 1.73 m2) and a non-diabetic nephropathy group (non-DKD, UACR < 30 mg/g and EGFR \geq 60 ml) according to the Guidelines for the Prevention and Treatment of Diabetic Nephropathy in China (2021 edition).

Statistical methods

SPSS 25.0 software was used for analysis, and the Kolmogorov–Smirnov (K-S) test was used to analyze whether the data satisfied a normal distribution. Data are expressed as the mean standard deviation ($\bar{x}\pm s$) when the normal distribution was met and as median (interquartile spread) [M(P25, P75)] when the normal distribution was not met. Single-factor ANOVA, nonparametric tests and analysis of variance were used to evaluate the differences between groups after they were grouped by each index. Logistic regression analysis and Cox regression analysis were performed on the data tested by parallel lines. The receiver operating characteristic (ROC) curve was drawn for prognostic analysis. P < 0.05 was considered statistically significant.

Results

According to the classification criteria of the progressive risk assessment of DKD recommended by the KDIGO 2012 guidelines [25] and China's Guidelines for the Prevention and Treatment of Diabetic Nephropathy (2021 edition) [5], 76 patients were low-risk (Group 1), 35 patients were medium-risk (Group 2) and 12 patients were high-risk (Group 3). The three groups differed significantly in the values of AGEs, cystatin C, 25-hydroxyvitamin D, fasting C peptide, 2-h postprandial C peptide, leukocytes, neutrophils, monocytes, and the neutrophil-to-lymphocyte ratio (NLR) (P<0.05, see Table 1 for details).

As the noninvasive lens AGE concentration went from low to high, the risk assessment of DKD progression also changed from low risk to high risk, which suggests that lens AGE concentration is related to the severity of DKD (Fig. 2). We speculated that noninvasive lens AGEs could be used to evaluate the severity of DKD. Linear regression analysis suggested that the values of noninvasive lens AGEs and cystatin C were statistically significant predictors of the severity of DKD (P < 0.05, $R^2 = 0.996$) (Table 2).

When we divided all T2DM patients into the DKD group (ACR \geq 30 mg/g and/or EGFR<60 ml/min * 1.73 m²) and the non-DKD group (ACR<30 mg/g and EGFR \geq 60 ml/min * 1.73 m²) for binary analysis, the results showed that the concentration of AGEs in the lens was statistically significant (*P*<0.05) in distinguishing the DKD group and the non-DKD group (Table 3).

Cox regression analysis suggested that there was a significant relationship between the risk level predicted by AGEs in the lens and the course of disease (P < 0.05) (see Table 4 for details).

The statistical results shown in Table 1 indicate that there was no significant difference between Group 1 and Group 2; therefore, Group 1 was combined with Group 2. The ROC curve was used to evaluate the value of noninvasive lens AGE measurement in the diagnosis of DKD in patients with T2DM (Fig. 3A). The area under the curve was 62.4%, p = 0.014, and the 95% CI was 52.4%–73.9%. The ROC curve was used to evaluate the severity of DKD in T2DM patients through noninvasive lens AGE measurement (Fig. 3B). The area under the curve was 83.2% (95% CI 74.1%–92.3%, P < 0.001).

Discussion

There are few reports on the use of AGEs for the screening and assessment of the severity of DKD, and there are no reports regarding the use of noninvasive screening methods for the early screening and severity rating of

Tab	le 1	DKD	progression	risk	assessment in t	:he 3-	group	o stratification
-----	------	-----	-------------	------	-----------------	--------	-------	------------------

	Group 1	Group 2	Group 3	р
Age (years)	59(52–66)	59(45–66)	63(53–65)	0.755
Course of disease (years)	8(4–15)	10(4–16)	11(7–16)	0.311
Body mass index (kg/m^2)	24.4(22.5-27.7)	25.5(21.2-27.0)	23.4(21.6-27.2)	0.794
AGEs detection value of noninvasive lens	0.283 ± 0.069	0.290 ± 0.095	0.376 ± 0.057^{ab}	0.001
Cystatin c (mg/L)	0.90(0.78-0.99)	0.80(0.64-0.97)	1.11(0.96–1.27) ^{ab}	0.014
25-hydroxyvitamin-D (nmol/L)	48.2(35.9–60.3)	42.7(36.3-66.0)	28.7(24.6-35.9) ^{ab}	0.001
Glycosylated hemoglobin (%)	8.4(7.0-9.6)	10.0(8.9–12.1) ^a	9.6(9.1-11.0)	0.001
Fasting C-peptide (nmol/L)	0.65(0.47-0.80)	0.51(0.30-0.80)	0.47(0.24-0.98)	0.116
C-peptide 2 h after meal (nmol/L)	1.78(1.13-2.31)	0.75(0.47-1.79) ^a	0.75(0.45–1.75) ^a	< 0.001
Fasting blood glucose (mmol/L)	7.0(5.6-8.9)	7.2(6.0-11.1)	8.1(5.1-10.2)	0.129
2 h postprandial blood glucose (mmol/L)	11.9(9.3–15.4)	13.0(8.6–17.4)	7.7(9.1–15.1)	0.083
Fasting insulin (pmol/ml)	47.6(29.2–68.8)	41.7(16.6-68.80)	66.0(26.4–101.2)	0.388
Insulin 2 h after meal (pmol/ml)	261.5(138.8-383.6)	147.4(79.6-276.8) ^a	167.0(66.8-360.1)	0.017
Hemoglobin (g/L)	135.9 ± 13.2	133.6±13.9	134.0 ± 24.6	0.340
Blood platelets (*10^9/L)	212.3 ± 56.8	225.7 ± 63.7	241.9 ± 71.8	0.398
NLR	1.87(1.25-2.28)	2.29(1.38-3.46) ^a	2.33(1.72-2.89)	0.042
PLR	120(89–155)	126(99–169)	126(101–161)	0.444
NMR	6.74(5.52-8.84)	8.29(6.78-9.83) ^a	7.27(6.30-8.78)	0.097
White blood cells (*10^9/L)	5.66(4.84-6.59)	5.78(5.33-6.71)	6.72(5.97–7.73) ^a	0.041
Neutrophils (*10^9/L)	3.07(2.43-3.96)	3.71(3.01-5.06) ^a	4.21(3.52-5.10) ^a	0.004
Monocytes (*10^9/L)	0.44(0.35-0.60)	0.42(0.37-0.54)	0.56(0.43-0.62)	0.155
Lymphocytes (*10^9/L)	1.82(1.54-2.19)	1.76(1.28-2.42)	1.88(1.42-2.24)	0.591
Red blood cells (*10^12/L)	4.48 ± 0.41	4.41 ± 0.48	4.51 ± 0.90	0.505

Note: Group 1: low risk group; Group 2: medium risk group; Group 3: high risk group

NLR neutrophil to lymphocyte ratio, PLR platelet to lymphocyte ratio, NMR granulocyte to monocyte ratio

^a P < 0.05 vs. group 1

^b P < 0.05 vs. group 2



Fig. 2 Correlation between the course of disease and DKD risk level

Table 2 Value of different indicators in evaluating the severity of DKD

Indicator	Coefficient	P value	95% CI		
	of regression		Lower limit	Upper limit	
Noninvasive lens AGE level	2.333	0.002	0.895	3.772	
Cystatin C (mg/L)	0.640	0.018	0.112	1.168	

Table 3 Value of different indices in the diagnosis of DKD

Group	Noninvasive lens AGE level	Cystatin C (mg/L)		
Non-DKD group	0.283±0.069	0.89(0.79–0.99)		
DKD group	0.313 ± 0.094	0.96(0.74-1.12)		
<i>P</i> value	0.014	0.115		

Note: $\mathit{DKD}\ group$ diabetic nephropathy group, $\mathit{Non-DKD}\ non-diabetic kidney$ disease group

Table 4	Correl	ation	between	the	course	of	disease	and	differe	nt
renal fun	ction i	ndice	S							

Group	P <	95% CI			
		Lower limit	Upper limit		
Noninvasive lens AGE level	0.014	0.001	0.455		
Cystatin C (mg/L)	0.068	0.131	1.077		

DKD in T2DM patients. Therefore, the purpose of this study was to investigate the clinical value of a lens AGE noninvasive measurement in screening for DKD and assessing the severity of DKD and to provide a new theoretical basis for the clinical screening of DKD.

In the present cross-sectional study, we found that according to the risk assessment of DKD progression recommended by the KDIGO 2012 guidelines, the concentration of noninvasive lens AGEs in T2DM patients classified in the high-risk group was significantly higher than that in the low-risk and medium-risk patients. The results show that noninvasive lens AGE measurements can be used to aid in the diagnosis of DKD. We also found that the concentration of noninvasive lens AGEs was an independent risk factor for the severity of DKD and had a high regression coefficient, which indicates that it has certain clinical value in evaluating the severity of DKD. Rezaei Mohaddeseh et al. [26] found that plasma AGE concentrations were positively correlated with diabetic retinopathy, but no correlation was found between plasma AGE concentrations and DKD. In this study, by measuring the contents of AGEs in the lens, we found that they were correlated with DKD. There seems to be a contradiction between the results of the two studies, but the sites of AGEs collected by the two studies are different. We speculate that the deposition of AGEs in different parts of the body is not balanced, and this difference will lead to differences in the onset order of different complications of DM. More studies are needed to verify this hypothesis. It is undeniable that the accumulation of AGEs in the body is positively correlated with the occurrence of complications of DM [27]. Thus, the change in



Fig. 3 Value of different grouping methods in noninvasively detecting AGEs in the lens. A: Value of noninvasive lens AGE measurement in the diagnosis of DKD;B: Value of noninvasive lens AGE measurement in classifying DKD severity

AGE levels can be used to determine the stage of the disease and evaluate the curative effect [28].

Our research shows that with the prolongation of the course of disease, the risk of DKD diagnosis in T2DM patients will increase, but the content of cystatin C in the human body does not increase with the prolongation of the disease course. Previous research has shown that the deposition of AGEs in vivo is positively correlated with age and the course of disease in patients [29], which is similar to the results of our study. Using noninvasive lens AGEs is more helpful for the classification of DKD severity than detecting and diagnosing whether T2DM patients have DKD. Our previous study [20] initially confirmed the value of noninvasive lens AGE detection in the diagnosis of DKD. We conducted this study to further explore whether it has any other value for patients with T2DM, and it was again verified that lens AGE noninvasive detection technology can be used to screen DKD. The research results show that according to the noninvasive lens AGE detection value concentration from low to high, the risk assessment of DKD progression also changes from the low-risk group to the high-risk group. Noninvasive lens AGE concentration can be used to assess the severity of DKD.

We also found that the number of white blood cells, neutrophils and monocytes were significantly higher in the high-risk patients with DKD than in the low-risk patients (P < 0.05). PLR and NLR tended to increase with the risk level, but this difference was not significant (P > 0.05). This result is consistent with that reported by Prasad K et al. [11]. We speculated that this might be related to the fact that the high level of AGEs in the body directly or indirectly promotes the chronic systemic inflammatory response. Many clinical studies

have shown that inflammatory indicators, such as the PLR and NLR, are widely used to assess the mortality of peritoneal dialysis patients, the prognosis of tumor patients, the severity and rate of acute coronary syndrome and other aspects [30-32]. This suggests that the above inflammation-related indicators might also be used as components of the DKD prediction model. Testing such a hypothesis requires in-depth study.

This study has some limitations. Due to the small sample size, the number of cases was not well balanced between groups for statistical analysis. This study lacks relevant data onpatients with an extremely high risk of DKD. It was also only a single-center study. In the future, we will conduct a multicenter study, expand the sample size and explore in depth the common rules of test data to lay a research foundation for finding a prediction model that accurately screens for DKD in T2DM patients.

This study preliminarily confirmed that noninvasive lens AGE detection technology may serve as a rapid and highly acceptable method to evaluate whether T2DM patients have DKD and the severity of their DKD. The findings of this study will help clinicians to better identify, diagnose and treat DKD, to better guide patients' treatment, and to more rationally allocate medical resources.

Acknowledgements

Training on the operation of the noninvasive lens AGE scan fluorescence detection instrument in this study was completed under the guidance of two teachers, Yang-Jun Hu and Li Chen, from Sannuo Biosensing Co., Ltd.

Authors' contributions

All authors contributed to the study conception and design. Material preparation, data collection and analysis were performed by Xiaodi Zheng, Yuan Gao, Yuhong Huang, Ruihua Dong, Xuemeng Zhang, Miao Zeng, Rui Zhang, Yueyue Wu, Zhiyan Yu, Jun Liu, Bingbing Zha. The first draft of the manuscript was written by Mengxue Yang and all authors commented on previous versions of the manuscript. All authors read and approved the final manuscript.

Funding

This project was supported by the Cooperation Programme of Fudan University – Minhang District Joint Health Center (No. 2022FM03) and the Project of Health Commission of Minhang District, Shanghai (No. 202140345).

Availability of data and materials

The datasets generated during and/or analysed during the current study are available from the corresponding author on reasonable request.

Declarations

Ethics approval and consent to participate

All procedures performed in studies involving human participants were in accordance with the ethical standards of the institutional and/or national research committee and with the 1964 Helsinki Declaration and its later amendments or comparable ethical standards. The study was approved by the Ethics Committee of the Fifth People's Hospital of Shanghai Affiliated to Fudan University (approval no. 2021–142).Written informed consent was obtained from each participant.

Consent for publication

Not applicable.

Competing interests

The authors declare no competing interests.

Author details

¹Department of Endocrinology, Shanghai Fifth People's Hospital, Fudan University, Shanghai, China. ²Center of Community-Based Health Research, Fudan University, Shanghai, China. ³General Practice Clinic, Pujiang Community Health Service Center in Minhang District, Shanghai, China. ⁴Key Lab of Public Health Safety of the Ministry of Education, School of Public Health, Institute of Nutrition, Fudan university, Shanghai, China. ⁵Department of Infectious Diseases, Shanghai Fifth People's Hospital, Fudan University, Shanghai, China.

Received: 22 May 2023 Accepted: 6 December 2023 Published online: 19 December 2023

References

- Cheng HT, Xu X, Lim PS, Hung KY. Worldwide Epidemiology of Diabetes-Related End-Stage Renal Disease, 2000–2015. Diabetes Care. 2021;44(1):89–97.
- Thomas MC, Cooper ME, Zimmet P. Changing epidemiology of type 2 diabetes mellitus and associated chronic kidney disease. Nat Rev Nephrol. 2016;12(2):73–81.
- Magliano DJ, Boyko EJ; IDF Diabetes Atlas 10th edition scientific committee. IDF DIABETES ATLAS. 10th ed. Brussels: International Diabetes Federation; PMID: 35914061; 2021.
- Pan X, Lin X, Huang X. The Burden of Diabetes-Related Chronic Kidney Disease in China From 1990 to 2019. Front Endocrinol. 2022;13:892860.
- Microvascular Complications Group. Diabetes Association of Chinese Medical Association. Guidelines for Prevention and Treatment of Diabetic Nephropathy in China (2021 Edition). Chin J Diabetes. 2021;13(8):762–84.
- Poggio ED, McClelland RL, Blank KN, Hansen S, Bansal S, Bomback AS, et al. Systematic Review and Meta-Analysis of Native Kidney Biopsy Complications. Clin J Am Soc Nephrol. 2020;15(11):1595–602.
- Kairys P, Frese T, Voigt P, Horn J, Girndt M, Mikolajczyk R. Development of the simulation-based German albuminuria screening model (S-GASM) for estimating the cost-effectiveness of albuminuria screening in Germany. PLoS One. 2022;17(1):e0262227.
- Ahmed A, Deepak M, Helbert RB, Christos PA, Zeid JK, Dominic SCR, et al. Establishing the presence or absence of chronic kidney disease: Uses and limitations of formulas estimating the glomerular filtration rate. World J Methodol. 2017;7(3):73–92.

- Sun CK, Yang YL, Gao L. The important role of m6A methylation in type 2 diabetes and its complications. Int J Endocrinol Metabol. 2021;41(04):368–71.
- Liu MH, Shi JH, Qmh W, Lin YQ, Sun ZX. The application value of contrastenhanced ultrasound in the surgery of renal masses. Nat Med J China. 2017;97(15):1184–6.
- Sarma D, Barua SK, Rajeev TP, Baruah SJ. Correlation between differential renal function estimation using CT-based functional renal parenchymal volume and 99mTc - DTPA renal scan. Indian J Urol. 2013;28(4):414–7.
- Ren Q, Chen D, Liu X, Yang R, Yuan L, Ding M, et al. Derivation and Validation of a Prediction Model of End-Stage Renal Disease in Patients with Type 2 Diabetes Based on a Systematic Review and Meta-analysis. Front Endocrinol. 2022;13:e825950.
- Prevention CH. Hypertension Alliance (China) Cardiovascular Disease Branch of Chinese Medical Association, Hypertension Professional Committee of Chinese Physicians Association. Guidelines for the prevention and treatment of hypertension in China (2018 revised edition). Chin Cardiovasc J. 2019;24(1):24–56.
- Fishman SL, Sonmez H, Basman C, Singh V, Poretsky L. The role of advanced glycation end-products in the development of coronary artery disease in patients with and without diabetes mellitus: a review. Mol Med. 2018;24(1):2545–59.
- Liu Q, Wang XU, Yan H. Effect of Thioltransferase on Oxidative Stress Induced by High Glucose and Advanced Glycation End Products in Human Lens Epithelial Cells. Int J Ophthalmol. 2020;14(7):965–72.
- Yao JS, Liu Y, Sang MM. Clinical application value of advanced glycation end products of lens in diabetic retinopathy. Chin J Diabetesmellitus. 2022;14(07):696–703.
- 17. Umanath K, Lewis JB. Update on diabetic nephropathy: core curriculum 2018. Am J Kidney Dis. 2018;71(6):884–95.
- Campion CG, Sanchez-Ferras O, Batchu SN. Potential role of serum and urinary biomarkers in diagnosis and prognosis of diabetic nephropathy. Can J Kidney Health Dis. 2017;4:2054358117705371.
- Noordzij MJ, Lefrandt JD, Graaff R, Smit AJ. Dermal factors influencing measurement of skin autofluorescence. Diabetes Technol Ther. 2011;13(2):165–70.
- 20. Wang ZS, Zhang QR, Zhu PL, Smit AJ. Correlation analysis between the content of advanced glycation end products in lens and the degree of diabetic retinopathy. Chin J Exp Ophthalmol. 2017;35(11):1030–4.
- Zhang XM, Gao Y, Yang MX, Zheng XD, Zhang R, Wu YY, et al. Exploration of noninvasive detection of advanced glycation end products in the lens to screen for diabetic kidney disease. Front Endocrinol. 2022;13:892070.
- Perrone A, Giovino A, Benny J, Martinelli F. Advanced Glycation End Products (AGEs): Biochemistry, Signaling, Analytical Methods, and Epigenetic Effects. Oxid Med Cell Longev. 2020;202:3818196.
- Prasad K, Dhar I, Zhou Q, Elmoselhi H, Shoker M, Shoker A. AGEs/sRAGE, a novel risk factor in the pathogenesis of end-stage renal disease. Mol Cell Biochem. 2016;423(1–2):1–10.
- Ma YC, Zuo L, Chen JH, Luo Q, Yu XQ, Li Y, et al. Modified glomerular filtration rate estimating equation for Chinese patients with chronic kidney disease. J Am Soc Nephrol. 2006;17(10):2937–44.
- Kidney Disease: Improving Global Outcomes(KDIGO) CKD Work Group. KDIGO 2012 clinical practice guideline for the evaluation and management of chronic kidney disease. Kidney Int. 2013;Suppl:1-150.
- 26. Rezaei M, Rabizadeh S, Mirahmad M, Hajmiri MS, Nakhjavani M, Hemmatabadi M, et al. The association between advanced glycation end products (AGEs) and ABC (hemoglobin A1C, blood pressure, and low-density lipoprotein cholesterol) control parameters among patients with type 2 diabetes mellitus. Diabetol Metab Syndr. 2022;14:122.
- Alin S. Measurement of Lens Autofluorescence for Diabetes Screening. J Diabetes Sci Technol. 2014;8:50.
- Indyk D, Agnieszka BS, Gamian A, Kuzan A. Advanced glycation end products and their receptors in serum of patients with type 2 diabetes. Sci Rep. 2021;11(1):13264.
- Takeuchi M, Yamagishi S. TAGE (toxic AGEs) hypothesis in various chronic diseases. Med Hypotheses. 2004;63(3):449–52.
- An X, Mao HP, Wei X, Chen JH, Yang X, Li ZB, et al. Elevated neutrophil to lymphocyte ratio predicts overall and cardiovascular mortality in maintenance peritoneal dialysis patients. Int Urol Nephrol. 2012;44(5):1521–8.
- 31. Kim JH, Lee JH, Lee HS, Shin SJ, Park EJ, Cho ES, et al. Elevated Neutrophil-to-Lymphocyte Ratio in Perioperative Periods is Suggestive of

Poor Prognosis in Patients with Colorectal Cancer. Dove Med Press. 2021;14(1):4457–66.

 Chen C, Cong BL, Wang M, Abdullah M, Wang XL, Zhang YH, et al. Neutrophil to lymphocyte ratio as a predictor of myocardial damage and cardiac dysfunction in acute coronary syndrome patients. Integr Med Res. 2018;7(2):192–9.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

