CORRECTION Open Access

Correction to: CO_2 and O_2 removal during continuous veno-venous hemofiltration: a pilot study



Joop Jonckheer^{1*}, Herbert Spapen¹, Aziz Debain², Joy Demol³, Marc Diltoer¹, Olivier Costa⁴, Katrien Lanckmans⁴, Taku Oshima⁵, Patrick M. Honoré⁶, Manu Malbrain¹ and Elisabeth De Waele^{1,3}

Correction to: BMC Nephrology (2019) 20:222 https://doi.org/10.1186/s12882-019-1378-y

Following publication of the original article [1], the authors reported that one of the authors' names was spelled incorrectly. In this Correction the incorrect and correct author name are shown. The original publication of this article has been corrected.

Originally the author name was published as:

Patrick Honoré

The correct author name is:

- Patrick M. Honoré

Author details

¹Intensive Care, UZ Brussel, Laarbeeklaan 101, 1090 Jette, Belgium. ²Geriatrics, UZ Brussel, Laarbeeklaan 101, 1090 Jette, Belgium. ³Department of Nutrition, Laarbeeklaan 101, 1090 Jette, Belgium. ⁴Department of Clinical Laboratory, UZ Brussel, Laarbeeklaan 101, 1090 Jette, Belgium. ⁵Emergency and Critical Care Medicine, Chiba University Graduate School of Medicine, 1-8-1 Inohana Chuo-ku, Chiba City 260-8677, Japan. ⁶Intensive Care, CHU Brugmann, A. Van Gehuchtenplein 4, 1020 Brussel, Belgium.

Published online: 08 August 2019

Reference

1. Jonckheer J, et al. CO_2 and O_2 removal during continuous veno-venous hemofiltration: a pilot study. BMC Nephrol. 2019;20(222) https://doi.org/10.1186/s12882-019-1378-y.

^{*} Correspondence: Joop.jonckheer@uzbrussel.be

1 Intensive Care, UZ Brussel, Laarbeeklaan 101, 1090 Jette, Belgium
Full list of author information is available at the end of the article

