CORRECTION Open Access

Correction to: The burden of comorbidity in people with chronic kidney disease stage 3: a cohort study



Simon D. S. Fraser^{1*}, Paul J. Roderick¹, Carl R. May², Natasha McIntyre³, Christopher McIntyre⁴, Richard J. Fluck³, Adam Shardlow⁴ and Maarten W. Taal⁴

Correction to: BMC Nephrol 16, 193 (2015) https://doi.org/10.1186/s12882-015-0189-z

Following publication of the original article [1], the authors identified an error in Fig. 1. The labels for '3 or more comorbidities' and '0 or 1 comorbidity' were incorrectly placed and should be reversed on this Kaplan Meier plot (i.e. people with 3 or more comorbidities experienced poorer survival and people with 0 or 1 comorbidity experienced better survival). The correct figure is given below.

Author details

¹Academic Unit of Primary Care and Population Sciences, Faculty of Medicine, University of Southampton, South Academic Block, Southampton General Hospital, Tremona Road, Southampton, Hampshire SO16 6YD, UK. ²Faculty of Health Sciences, University of Southampton, Southampton, UK. ³The Department of Renal Medicine, Royal Derby Hospital NHS Foundation Trust, Derby, Derbyshire, UK. ⁴Division of Medical Sciences and Graduate-Entry Medicine, University of Nottingham, Derby, UK.

Published online: 21 December 2020

Reference

 Fraser SDS, et al. The burden of comorbidity in people with chronic kidney disease stage 3: a cohort study. BMC Nephrol. 2015;16:193. https://doi.org/ 10.1186/s12882-015-0189-z.

The original article can be found online at https://doi.org/10.1186/s12882-015-0189-z.

¹Academic Unit of Primary Care and Population Sciences, Faculty of Medicine, University of Southampton, South Academic Block, Southampton General Hospital, Tremona Road, Southampton, Hampshire SO16 6YD, UK Full list of author information is available at the end of the article



© The Author(s). 2020 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

^{*} Correspondence: s.fraser@soton.ac.uk

Fraser et al. BMC Nephrology (2020) 21:543 Page 2 of 2




Fig. 1 Kaplan Meier plot showing cumulative survival (all-cause mortality) by comorbidity status. Footnote to Fig. 1: Please note that the x axis does not cross the y axis at 0 %